Amendments to the Claims:

This listing of claims will replace all prior version, and listings, of claims in the application:

Listing of Claims:

- 1-8. (Canceled).
- 9. (Currently amended) An interconnect structure, comprising:
- a substrate having a surface;
- a dielectric layer disposed on the surface of the substrate;
- a first metal <u>line</u> layer disposed in the dielectric layer, having a first and second end, wherein the direction extending from the first end to the second end is parallel to the substrate surface;
- a second metal <u>line</u> layer disposed on the dielectric layer, wherein the second metal <u>line</u> layer is <u>separated</u> isolated from the first metal layer by the dielectric layer; and
- a plurality of conductive plugs <u>arranged along parallel to extending direction of the</u>
 first metal <u>line layer</u>, disposed in the dielectric layer and on the first end of
 the first metal <u>line layer</u> to electrically connect the second metal <u>line layer</u>,
- wherein the first metal <u>line</u> layer and the second metal <u>line</u> layer are a gate metal layer and a source/drain metal layer of a TFT array respectively.
- 10. (Original) The interconnect structure as claimed in claim 9, wherein the substrate is a TFT-array substrate for an LCD panel.

- 11. (canceled).
- 12. (Original) The interconnect structure as claimed in claim 9, wherein the number of conductive plugs is from 2 to 5.
- 13. (Currently amended) The interconnect structure as claimed in claim 9, wherein the conductive plugs disposed on the first end of the first metal <u>line</u> layer electrically connect one end of the second metal <u>line</u> layer.
 - 14. (Currently amended) An interconnect structure, comprising:
 - a substrate having a surface;
 - a dielectric layer disposed on the surface of the substrate;
 - a first metal <u>line</u> layer disposed in the dielectric layer, having a first and second end, wherein the direction extending from the first end to the second end is parallel to the substrate surface;;
 - a second metal <u>line</u> layer disposed on the dielectric layer; and
 - a plurality of plugs <u>arranged along</u> the first metal <u>line layer</u>, disposed on the first end of the first metal <u>line layer</u>, wherein <u>at least one of</u> the <u>plugs plug</u> farther from the first end of the metal <u>line layer</u> is conductive, and electrically connects the second metal <u>line layer</u>.
- 15. (Previously presented) The interconnect structure as claimed in claim 14, wherein the substrate is a TFT-array substrate for an LCD panel.

- 16. (Previously presented) The interconnect structure as claimed in claim 14, wherein the number of plugs is from 2 to 5.
- 17. The interconnect structure as claimed in claim 14, wherein the conductive plug electrically connects one end of the second metal <u>line layer</u>.
 - 18-19. (Canceled).
 - 20. (Currently amended) An interconnect structure, comprising:a substrate;
 - a <u>first</u> dielectric layer disposed <u>on</u> the substrate;
 - a first metal line disposed in the <u>first</u> dielectric layer, having a first and second end, wherein the direction extending from the first end to the second end is parallel to the substrate surface;
 - a first plug and a second plug disposed on the first end of the first metal line, wherein the first plug is closer to the first end than the second plug;
 - a second metal line disposed on the <u>first_dielectric</u> layer, connecting the first metal line through the second plug, wherein the second metal line does not connect to the first plug; and
 - a second dielectric layer disposed on the first dielectric layer and the second metal line, filling the first plug.
 - 21. (Canceled).